WEST Search History for Application 10762036

Creation Date: 2009090210:54

10/762036PGPB, USPT ADJ 03-20-2009
20050160061.pn.PGPB, USPT ADJ 03-20-2009
(20050160061.pn.) and accessingPGPB, USPT ADJ 03-20-2009
7263521.pn.PGPB, USPT ADJ 03-20-2009
(7263521.pn.) and access$4PGPB, USPT ADJ 03-20-2009
(7263521.pn.) and (access$4 or hash)PGPB, USPT ADJ 03-20-2009
content addressPGPB, USPT ADJ 03-20-2009
content address near3 hashPGPB, USPT ADJ 03-20-2009
(content address near3 hash) and @ad<20040101PGPB, USPT ADJ 03-20-2009
(determin$6 or comput$4) near3 addressPGPB, USPT ADJ 03-20-2009
(determin$6 or comput$4) near3 content addressPGPB, USPT ADJ 03-20-2009
hash$4PGPB, USPT ADJ 03-20-2009
(hash$4) same ((determin$6 or comput$4) near3 content address)PGPB,
USPT ADJ 03-20-2009
(hash$4 same (determin$6 or comput$4) near3 content address) and @ad<20040101PGPB,
USPT ADJ 03-20-2009
((determin$6 or comput$4) near3 content address) and (hash$4)PGPB,
USPT ADJ 03-20-2009
((determin$6 or comput$4) near3 content address and hash$4) and @ad<20040101PGPB,
USPT ADJ 03-20-2009
20040249822.pn.PGPB, USPT ADJ 03-20-2009
(20040249822.pn.) and relationshipPGPB, USPT ADJ 03-20-2009
5749079.pn.PGPB, USPT ADJ 03-20-2009
(("20030041091")!.PN.).PGPB. | (("7050989" | "6054943" | "3675217")!.PN.).USPT.PGPB,
USPT ADJ 03-20-2009
((("20030041091")!.PN.).PGPB. | (("7050989" | "6054943" | "3675217")!.PN.).USPT.) and
access$4PGPB, USPT ADJ 03-20-2009
((("20030041091")!.PN.).PGPB. | (("7050989" | "6054943" | "3675217")!.PN.).USPT.) and
access$4PGPB, USPT ADJ 03-20-2009
(comput$4 or determin$7 or hash$4) near3 content near3 addressPGPB,
USPT ADJ 03-20-2009
access$4PGPB, USPT ADJ 03-20-2009
(access$4) same ((comput$4 or determin$7 or hash$4) near3 content near3 address)PGPB,
USPT ADJ 03-20-2009
(access$4 same (comput$4 or determin$7 or hash$4) near3 content near3 address) and
@ad<20040101PGPB, USPT ADJ 03-20-2009
(access$4) with ((comput$4 or determin$7 or hash$4) near3 content near3 address)PGPB,
USPT ADJ 03-20-2009
(access$4 with (comput$4 or determin$7 or hash$4) near3 content near3 address) and
@ad<20040101PGPB, USPT ADJ 03-20-2009
hash$4 near3 content addressPGPB, USPT ADJ 03-20-2009
(hash$4 near3 content address) and @ad<20040101PGPB, USPT ADJ 03-20-2009
(("6889209")!.PN.).USPT.USPT ADJ 03-20-2009
((("6889209")!.PN.).USPT.) and access$4USPT ADJ 03-20-2009
((("6889209")!.PN.).USPT. and access$4) and address$4USPT ADJ 03-20-2009
receiving near3 content near3 addressPGPB, USPT ADJ 03-20-2009

hashPGPB, USPT ADJ 03-20-2009
(hash) same (receiving near3 content near3 address)PGPB, USPT ADJ 03-20-2009
(hash) and (receiving near3 content near3 address)PGPB, USPT ADJ 03-20-2009
(hash and receiving near3 content near3 address) and @ad<20040101PGPB,
USPT ADJ 03-20-2009
receiving content addressPGPB, USPT ADJ 03-20-2009
(receiving or retrieving)near2 content addressPGPB, USPT ADJ 03-20-2009
((receiving or retrieving)near2 content address) and @ad<20040101PGPB,
USPT ADJ 03-20-2009
(("20020188758")!.PN.).PGPB. | (("6308202")!.PN.).USPT.PGPB, USPT ADJ 03-20-2009
((("20020188758")!.PN.).PGPB. | (("6308202")!.PN.).USPT.) and address$4PGPB,
USPT ADJ 03-20-2009
20050160061.pn.PGPB, USPT ADJ 03-20-2009
(20050160061.pn.) and retention classPGPB, USPT ADJ 03-20-2009
(20050160061.pn.) and (retention class with access$4)PGPB, USPT ADJ 03-20-2009
(20050160061.pn.) and (retention class or access$4)PGPB, USPT ADJ 03-20-2009
(20050160061.pn.) and (retention class same access$4)PGPB, USPT ADJ 03-20-2009
(20050160061.pn.) and (retention class or access$4)PGPB, USPT ADJ 03-20-2009
accessing near3 classPGPB, USPT ADJ 03-20-2009
(retaining or retention) near3 classPGPB, USPT ADJ 03-20-2009
((retaining or retention) near3 class) and (accessing near3 class)PGPB,
USPT ADJ 03-20-2009
((retaining or retention) near3 class and accessing near3 class) and @ad<20040101PGPB,
USPT ADJ 03-20-2009
(("6185576")!.PN.).USPT.USPT ADJ 03-20-2009
((("6185576")!.PN.).USPT.) and access$4USPT ADJ 03-20-2009
((("6185576")!.PN.).USPT.) and (access$4 or class)USPT ADJ 03-20-2009
((("6185576")!.PN.).USPT.) and (retain$4 or retention)USPT ADJ 03-20-2009
((("6185576")!.PN.).USPT.) and ((retain$4 or retention)near4 class)USPT ADJ 03-20-2009
((("6185576")!.PN.).USPT.) and (access$4 or class)USPT ADJ 03-20-2009
6185576.pn.USPT ADJ 03-20-2009
(6185576.pn.) and (retain$4 or retention)USPT ADJ 03-20-2009
(6185576.pn.) and (retain$4 or retention or class)USPT ADJ 03-20-2009
20050055518.pn.PGPB ADJ 03-20-2009
20050160061.pn.PGPB ADJ 03-20-2009
(20050160061.pn.) and (manner near3 accessing)PGPB ADJ 03-20-2009
6185576.pn.PGPB, USPT ADJ 03-20-2009
(6185576.pn.) and class codePGPB, USPT ADJ 03-20-2009

Prior Art Searches

Query	DB	Op.	Plur.	Thes.	Date
10/762036	PGPB, USPT	ADJ	YES		09-02-2009
20050160061.pn.	PGPB, USPT	ADJ	YES		09-02-2009
(20050160061.pn.) and accessing	PGPB, USPT	ADJ	YES		09-02-2009

7263521.pn.	PGPB, USPT	ADJ	YES		09-02-2009
(7263521.pn.) and access$4	PGPB, USPT	ADJ	YES		09-02-2009
(7263521.pn.) and (access$4 or hash)	PGPB, USPT	ADJ	YES		09-02-2009
content address	PGPB, USPT	ADJ	YES		09-02-2009
content address near3 hash	PGPB, USPT	ADJ	YES		09-02-2009
(content address near3 hash) and @ad<20040101	PGPB, USPT	ADJ	YES		09-02-2009
(determin$6 or comput$4) near3 address	PGPB, USPT	ADJ	YES		09-02-2009
(determin$6 or comput$4) near3 content address	PGPB, USPT	ADJ	YES		09-02-2009
hash$4	PGPB, USPT	ADJ	YES		09-02-2009
(hash$4) same ((determin$6 or comput$4) near3 content address)	PGPB, USPT	ADJ	YES		09-02-2009
(hash$4 same (determin$6 or comput$4) near3 content address) and @ad<20040101	PGPB, USPT	ADJ	YES		09-02-2009
((determin$6 or comput$4) near3 content address) and (hash$4)	PGPB, USPT	ADJ	YES		09-02-2009
((determin$6 or comput$4) near3 content address and hash$4) and @ad<20040101	PGPB, USPT	ADJ	YES		09-02-2009
20040249822.pn.	PGPB, USPT	ADJ	YES		09-02-2009
(20040249822.pn.) and relationship	PGPB, USPT	ADJ	YES		09-02-2009
5749079.pn.	PGPB, USPT	ADJ	YES		09-02-2009
(("20030041091")!.PN.).PGPB. | (("7050989" | "6054943" | "3675217")!.PN.).USPT.	PGPB, USPT	ADJ	YES		09-02-2009
((("20030041091")!.PN.).PGPB. | (("7050989" | "6054943" | "3675217")!.PN.).USPT.) and access$4	PGPB, USPT	ADJ	YES		09-02-2009
((("20030041091")!.PN.).PGPB. | (("7050989" | "6054943" | "3675217")!.PN.).USPT.) and access$4	PGPB, USPT	ADJ	YES		09-02-2009

(comput$4 or determin$7 or hash$4) near3 content near3 address	PGPB, USPT	ADJ	YES		09-02-2009
access$4	PGPB, USPT	ADJ	YES		09-02-2009
(access$4) same ((comput$4 or determin$7 or hash$4) near3 content near3 address)	PGPB, USPT	ADJ	YES		09-02-2009
(access$4 same (comput$4 or determin$7 or hash$4) near3 content near3 address) and @ad<20040101	PGPB, USPT	ADJ	YES		09-02-2009
(access$4) with ((comput$4 or determin$7 or hash$4) near3 content near3 address)	PGPB, USPT	ADJ	YES		09-02-2009
(access$4 with (comput$4 or determin$7 or hash$4) near3 content near3 address) and @ad<20040101	PGPB, USPT	ADJ	YES		09-02-2009
hash$4 near3 content address	PGPB, USPT	ADJ	YES		09-02-2009
(hash$4 near3 content address) and @ad<20040101	PGPB, USPT	ADJ	YES		09-02-2009
(("6889209")!.PN.).USPT.	USPT	ADJ	YES		09-02-2009
((("6889209")!.PN.).USPT.) and access$4	USPT	ADJ	YES		09-02-2009
((("6889209")!.PN.).USPT. and access$4) and address$4	USPT	ADJ	YES		09-02-2009
receiving near3 content near3 address	PGPB, USPT	ADJ	YES		09-02-2009
hash	PGPB, USPT	ADJ	YES		09-02-2009
(hash) same (receiving near3 content near3 address)	PGPB, USPT	ADJ	YES		09-02-2009
(hash) and (receiving near3 content near3 address)	PGPB, USPT	ADJ	YES		09-02-2009
(hash and receiving near3 content near3 address) and @ad<20040101	PGPB, USPT	ADJ	YES		09-02-2009
receiving content address	PGPB, USPT	ADJ	YES		09-02-2009
(receiving or retrieving)near2 content address	PGPB, USPT	ADJ	YES		09-02-2009
((receiving or retrieving)near2 content address) and @ad<20040101	PGPB, USPT	ADJ	YES		09-02-2009
		ADJ	YES		09-02-2009

(("20020188758")!.PN.).PGPB. | (("6308202")!.PN.).USPT.	PGPB, USPT			
((("20020188758")!.PN.).PGPB. | (("6308202")!.PN.).USPT.) and address$4	PGPB, USPT	ADJ	YES	09-02-2009
20050160061.pn.	PGPB, USPT	ADJ	YES	09-02-2009
(20050160061.pn.) and retention class	PGPB, USPT	ADJ	YES	09-02-2009
(20050160061.pn.) and (retention class with access$4)	PGPB, USPT	ADJ	YES	09-02-2009
(20050160061.pn.) and (retention class or access$4)	PGPB, USPT	ADJ	YES	09-02-2009
(20050160061.pn.) and (retention class same access$4)	PGPB, USPT	ADJ	YES	09-02-2009
(20050160061.pn.) and (retention class or access$4)	PGPB, USPT	ADJ	YES	09-02-2009
accessing near3 class	PGPB, USPT	ADJ	YES	09-02-2009
(retaining or retention) near3 class	PGPB, USPT	ADJ	YES	09-02-2009
((retaining or retention) near3 class) and (accessing near3 class)	PGPB, USPT	ADJ	YES	09-02-2009
(retaining or retention) near3 class and accessing near3 class) and @ad<20040101	PGPB, USPT	ADJ	YES	09-02-2009
(("6185576")!.PN.).USPT.	USPT	ADJ	YES	09-02-2009
((("6185576")!.PN.).USPT.) and access$4	USPT	ADJ	YES	09-02-2009
((("6185576")!.PN.).USPT.) and (access$4 or class)	USPT	ADJ	YES	09-02-2009
((("6185576")!.PN.).USPT.) and (retain$4 or retention)	USPT	ADJ	YES	09-02-2009
((("6185576")!.PN.).USPT.) and ((retain$4 or retention)near4 class)	USPT	ADJ	YES	09-02-2009
((("6185576")!.PN.).USPT.) and (access$4 or class)	USPT	ADJ	YES	09-02-2009
6185576.pn.	USPT	ADJ	YES	09-02-2009
(6185576.pn.) and (retain$4 or retention)	USPT	ADJ	YES	09-02-2009
(6185576.pn.) and (retain$4 or retention or class)	USPT	ADJ	YES	09-02-2009
20050055518.pn.	PGPB	ADJ	YES	09-02-2009

20050160061.pn.	PGPB	ADJ	YES		09-02-2009
(20050160061.pn.) and (manner near3 accessing)	PGPB	ADJ	YES		09-02-2009
6185576.pn.	PGPB, USPT	ADJ	YES		09-02-2009
(6185576.pn.) and class code	PGPB, USPT	ADJ	YES		09-02-2009